

Polishing Brushes & Felt Polishing Bobs

8







Polishing Brushes & Felt Polishing Bobs

Polishing Brushes	2
Polishing Bobs.....	3







SB 0 ...

Polishing brushes



Features:

- Material: corrugated steel wire
- nmax: 10.000 min⁻¹

REF	Wire thick-ness	Head-Ø	Shank Ø	Wire l		€	Shape
SB 01	0,08	5	3	8	10	2,52	
SB 02	0,10	5	3	8	10	1,58	
SB 04	0,06	10	3	6	10	3,06	
SB 05	0,10	10	3	6	10	2,12	
SB 06	0,06	19	3	-	10	2,86	





MB 0 ...

Polishing brushes



Features:

- Material: Brass wire
- nmax: 10.000 min⁻¹

REF	Wire thick-ness	Head-Ø	Shank Ø	Wire l		€	Shape
MB 01	0,08	6	2,35	8	10	1,38	
MB 02	0,15	8	2,35	8	10	1,38	
MB 04	0,08	15	2,35	8	10	2,07	
MB 05	0,15	15	2,35	8	10	2,07	
MB 06	0,08	17	2,35	8	10	2,3	
MB 07	0,15	17	2,35	8	10	2,3	






Polishing brushes

ZB 0 ... - PB 0 ...

Features:


- Material:
ZB 0 goat's hair
PB 0 Perlon
- nmax: 10.000 min⁻¹



REF	Wire thick-ness	Head-Ø	Shank Ø	Wire l		€	Shape
ZB 01	0,03	5	2,35	11	10	1,49	
PB 01	0,3	5	2,35	12	10	1,49	
ZB 02	0,03	11	2,35	7	10	1,49	
PB 02	0,3	11	2,35	7	10	1,49	

Felt polishing discs, velcro

F ...

REF	Ø		€
F180	18	20	11,49
F300	30	20	13,9
F450	45	20	•














FPK 3 ...

Felt polishing bobs



Features:

- Material:
H 3 hard
H 3s super hard
- nmax: 15.000 min⁻¹

REF	Head-Ø	Head length	Shank Ø	*			Shape
				h 3	h 3s		
FPK 301 *	12,5	24	3	2,72	2,88	20	
FPK 302 *	6,5	15	3	2,12	2,3	20	
FPK 304 *	13/8	12	3	2,72	2,88	20	
FPK 305 *	11/6,5	15	3	2,72	2,88	20	
FPK 306 *	22	4	3	2,88	2,88	20	
FPK 307 *	6	10	3	1,7	1,77	20	
FPK 308 *	8	10	3	1,7	2,72	20	
FPK 309 *	10	12	3	1,77	1,9	20	
FPK 310 *	12	15	3	1,77	1,96	20	



Felt polishing bobs

FPK 6 ...

Features:

- Material:
H 3 hard
H 3s super hard
- nmax: 15.000 min⁻¹



REF	Head-Ø	Head length	Shank Ø	*		□	Shape
				h 3	h 3s		
FPK 611 *	10	15	6	1,95	1,96	10	
FPK 612 *	12	20	6	2,29	2,19	10	
FPK 613 *	20	25	6	2,19	2,3	10	
FPK 614 *	12	20	6	.	1,96	10	
FPK 618 *	10	15	6	1,9	2,3	10	
FPK 619 *	12	20	6	7,04	2,3	10	
FPK 620 *	20	25	6	2,19	2,72	10	




FPM ...

Felt polishing bobs with brass fibres



Features:

- Material: H 3 hard
- $n_{max}: 15.000 \text{ min}^{-1}$

REF	Head-Ø	Head length	Shank Ø	H 3		€	Shape
FPM 0610	6	10	3	3	20	0,95	
FPM 1010	10	10	3	3	20	1,44	
FPM 1015	10	15	3	3	20	1,46	
FPM 1520	15	20	6	3	20	1,76	
FPM 2020	20	20	6	3	20	2,44	
FPM 2530	25	30	6	3	20	5,27	
FPM 1515	15	15	3	3	20	1,59	